


MF302P

TWO FIXING POINT GRAB BAR



DESCRIPTION

Fixing grab bar Ø 35 mm. with alluminium internal tube with thicness 2 mm.,
Cover made of dioxide Titanium Polymers, thickness 3,5 mm.
End caps, washers and under washers made of Nylon V0.
Multi holes fixing washers made of zinc coated steel with electrical insulation.
Wall fixing through delivered screws and wall plugs.
Absence of Cadmium, Lead and other heavy metals.
Easy to clean and to mantain, even with detergents.

LOADING

Up to 150 kg.

SIZE

Including washers L. 300 x H. 89 mm.

COLOR

Standard white, other colors on demand of MPS range.


CERTIFICATIONS

ISO 9001:2015 quality certification issued by TÜV Italia S.r.l.
Fire reaction class certification B-s2,d0.
Absence of bacterial growth certification issued by CSI group IMQ.
Declaration of quality office about absence of Cadmium and/or heavy metals.
Declaration of quality office about bio-compatibility and recycling.

MPS reserves the right to change products without previuos advice

MF402P

TWO FIXING POINT GRAB BAR



DESCRIPTION

Fixing grab bar Ø 35 mm. with alluminium internal tube with thicness 2 mm.,
Cover made of dioxide Titanium Polymers, thickness 3,5 mm.
End caps, washers and under washers made of Nylon V0.
Multi holes fixing washers made of zinc coated steel with electrical insulation.
Wall fixing through delivered screws and wall plugs.
Absence of Cadmium, Lead and other heavy metals.
Easy to clean and to mantain, even with detergents.

LOADING

Up to 150 kg.

SIZE

Including washers L. 400 x H. 89 mm.

COLOR

Standard white, other colors on demand of MPS range.


CERTIFICATIONS

ISO 9001:2015 quality certification issued by TÜV Italia S.r.l.
Fire reaction class certification B-s2,d0.
Absence of bacterial growth certification issued by CSI group IMQ.
Declaration of quality office about absence of Cadmium and/or heavy metals.
Declaration of quality office about bio-compatibility and recycling.

MPS reserves the right to change products without previous advice

MF502P

TWO FIXING POINT GRAB BAR



DESCRIPTION

Fixing grab bar Ø 35 mm. with alluminium internal tube with thicness 2 mm.,
Cover made of dioxide Titanium Polymers, thickness 3,5 mm.
End caps, washers and under washers made of Nylon V0.
Multi holes fixing washers made of zinc coated steel with electrical insulation.
Wall fixing through delivered screws and wall plugs.
Absence of Cadmium, Lead and other heavy metals.
Easy to clean and to mantain, even with detergents.

LOADING

Up to 150 kg.

SIZE

Including washers L. 500 x H. 89 mm.

COLOR

Standard white, other colors on demand of MPS range.


CERTIFICATIONS

ISO 9001:2015 quality certification issued by TÜV Italia S.r.l.
Fire reaction class certification B-s2,d0.
Absence of bacterial growth certification issued by CSI group IMQ.
Declaration of quality office about absence of Cadmium and/or heavy metals.
Declaration of quality office about bio-compatibility and recycling.

MPS reserves the right to change products without previous advice

MF602P

TWO FIXING POINT GRAB BAR



DESCRIPTION

Fixing grab bar Ø 35 mm. with alluminium internal tube with thicness 2 mm.,
Cover made of dioxide Titanium Polymers, thickness 3,5 mm.
End caps, washers and under washers made of Nylon V0.
Multi holes fixing washers made of zinc coated steel with electrical insulation.
Wall fixing through delivered screws and wall plugs.
Absence of Cadmium, Lead and other heavy metals.
Easy to clean and to mantain, even with detergents.

LOADING

Up to 150 kg.

SIZE

Including washers L. 600 x H. 89 mm.

COLOR

Standard white, other colors on demand of MPS range.


CERTIFICATIONS

ISO 9001:2015 quality certification issued by TÜV Italia S.r.l.
Fire reaction class certification B-s2,d0.
Absence of bacterial growth certification issued by CSI group IMQ.
Declaration of quality office about absence of Cadmium and/or heavy metals.
Declaration of quality office about bio-compatibility and recycling.

MPS reserves the right to change products without previous advice

MF702P

TWO FIXING POINT GRAB BAR



DESCRIPTION

Fixing grab bar Ø 35 mm. with alluminium internal tube with thicness 2 mm.,
Cover made of dioxide Titanium Polymers, thickness 3,5 mm.
End caps, washers and under washers made of Nylon V0.
Multi holes fixing washers made of zinc coated steel with electrical insulation.
Wall fixing through delivered screws and wall plugs.
Absence of Cadmium, Lead and other heavy metals.
Easy to clean and to mantain, even with detergents.

LOADING

Up to 150 kg.

SIZE

Including washers L. 700 x H. 89 mm.

COLOR

Standard white, other colors on demand of MPS range.


CERTIFICATIONS

ISO 9001:2015 quality certification issued by TÜV Italia S.r.l.
Fire reaction class certification B-s2,d0.
Absence of bacterial growth certification issued by CSI group IMQ.
Declaration of quality office about absence of Cadmium and/or heavy metals.
Declaration of quality office about bio-compatibility and recycling.

MPS reserves the right to change products without previous advice

MF802P

TWO FIXING POINT GRAB BAR



DESCRIPTION

Fixing grab bar Ø 35 mm. with alluminium internal tube with thicness 2 mm.,
Cover made of dioxide Titanium Polymers, thickness 3,5 mm.
End caps, washers and under washers made of Nylon V0.
Multi holes fixing washers made of zinc coated steel with electrical insulation.
Wall fixing through delivered screws and wall plugs.
Absence of Cadmium, Lead and other heavy metals.
Easy to clean and to mantain, even with detergents.

LOADING

Up to 150 kg.

SIZE

Including washers L. 800 x H. 89 mm.

COLOR

Standard white, other colors on demand of MPS range.


CERTIFICATIONS

ISO 9001:2015 quality certification issued by TÜV Italia S.r.l.
Fire reaction class certification B-s2,d0.
Absence of bacterial growth certification issued by CSI group IMQ.
Declaration of quality office about absence of Cadmium and/or heavy metals.
Declaration of quality office about bio-compatibility and recycling.

MPS reserves the right to change products without previous advice

MF902P

TWO FIXING POINT GRAB BAR



DESCRIPTION

Fixing grab bar Ø 35 mm. with alluminium internal tube with thicness 2 mm.,
Cover made of dioxide Titanium Polymers, thickness 3,5 mm.
End caps, washers and under washers made of Nylon V0.
Multi holes fixing washers made of zinc coated steel with electrical insulation.
Wall fixing through delivered screws and wall plugs.
Absence of Cadmium, Lead and other heavy metals.
Easy to clean and to mantain, even with detergents.

LOADING

Up to 150 kg.

SIZE

Including washers L. 900 x H. 89 mm.

COLOR

Standard white, other colors on demand of MPS range.


CERTIFICATIONS

ISO 9001:2015 quality certification issued by TÜV Italia S.r.l.
Fire reaction class certification B-s2,d0.
Absence of bacterial growth certification issued by CSI group IMQ.
Declaration of quality office about absence of Cadmium and/or heavy metals.
Declaration of quality office about bio-compatibility and recycling.

MPS reserves the right to change products without previous advice

MF1002P

TWO FIXING POINT GRAB BAR



DESCRIPTION

Fixing grab bar Ø 35 mm. with alluminium internal tube with thicness 2 mm.,
Cover made of dioxide Titanium Polymers, thickness 3,5 mm.
End caps, washers and under washers made of Nylon V0.
Multi holes fixing washers made of zinc coated steel with electrical insulation.
Wall fixing through delivered screws and wall plugs.
Absence of Cadmium, Lead and other heavy metals.
Easy to clean and to mantain, even with detergents.

LOADING

Up to 150 kg.

SIZE

Including washers L. 1000 x H. 89 mm.

COLOR

Standard white, other colors on demand of MPS range.

CERTIFICATIONS

ISO 9001:2015 quality certification issued by TÜV Italia S.r.l.
Fire reaction class certification B-s2,d0.
Absence of bacterial growth certification issued by CSI group IMQ.
Declaration of quality office about absence of Cadmium and/or heavy metals.
Declaration of quality office about bio-compatibility and recycling.

MPS reserves the right to change products without previous advice