


GF402P

TWO FIXING POINT HORIZONTAL GRAB BAR





DESCRIPTION

Horizontal grab bar Ø 35 mm. with alluminium internal part, th.2 mm.

Cover made of dioxide titanium polymers, th. 3,5 mm.

Gemma closing caps made of Nylon VO.

Cover washers and under washers made of Nylon VO.

Multi holes fixing washers made of zinc coated steel with electrical insulation.

Wall fixing through delivered screws and wall plugs. Absence of Cadmium, Lead and other heavy metals. Easy to clean and to maintain, even with detergents.

LOADING

Up to 150 kg.

SIZE

Including washers L. 400 x H. 89 mm.

COLOR

Standard white, other colors on demand of MPS range

CERTIFICATIONS

ISO 9001:2015 quality certification issued by TÜV Italia S.r.l.

Fire reaction class certification B-s2,d0.

Absence of bacterial growth certification issued by CSI group IMQ.

Declaration of quality office about absence of Cadmium and/or heavy metals.

Declaration of quality office about bio-compatibility and recycling






GF502P

TWO FIXING POINT HORIZONTAL GRAB BAR





DESCRIPTION

Horizontal grab bar Ø 35 mm. with alluminium internal part, th.2 mm.

Cover made of dioxide titanium polymers, th. 3,5 mm.

Gemma closing caps made of Nylon VO.

Cover washers and under washers made of Nylon VO.

Multi holes fixing washers made of zinc coated steel with electrical insulation.

Wall fixing through delivered screws and wall plugs. Absence of Cadmium, Lead and other heavy metals. Easy to clean and to maintain, even with detergents.

LOADING

Up to 150 kg.

SIZE

Including washers L. 500 x H. 89 mm.

COLOR

Standard white, other colors on demand of MPS range

CERTIFICATIONS

ISO 9001:2015 quality certification issued by TÜV Italia S.r.l.

Fire reaction class certification B-s2,d0.

Absence of bacterial growth certification issued by CSI group IMQ.

Declaration of quality office about absence of Cadmium and/or heavy metals.

Declaration of quality office about bio-compatibility and recycling






GF602P

TWO FIXING POINT HORIZONTAL GRAB BAR





DESCRIPTION

Horizontal grab bar Ø 35 mm. with alluminium internal part, th.2 mm.

Cover made of dioxide titanium polymers, th. 3,5 mm.

Gemma closing caps made of Nylon VO.

Cover washers and under washers made of Nylon VO.

Multi holes fixing washers made of zinc coated steel with electrical insulation.

Wall fixing through delivered screws and wall plugs. Absence of Cadmium, Lead and other heavy metals. Easy to clean and to maintain, even with detergents.

LOADING

Up to 150 kg.

SIZE

Including washers L. 600 x H. 89 mm.

COLOR

Standard white, other colors on demand of MPS range

CERTIFICATIONS

ISO 9001:2015 quality certification issued by TÜV Italia S.r.l.

Fire reaction class certification B-s2,d0.

Absence of bacterial growth certification issued by CSI group IMQ.

Declaration of quality office about absence of Cadmium and/or heavy metals.

Declaration of quality office about bio-compatibility and recycling






GF702P

TWO FIXING POINT HORIZONTAL GRAB BAR





DESCRIPTION

Horizontal grab bar Ø 35 mm. with alluminium internal part, th.2 mm.

Cover made of dioxide titanium polymers, th. 3,5 mm.

Gemma closing caps made of Nylon VO.

Cover washers and under washers made of Nylon VO.

Multi holes fixing washers made of zinc coated steel with electrical insulation.

Wall fixing through delivered screws and wall plugs. Absence of Cadmium, Lead and other heavy metals. Easy to clean and to maintain, even with detergents.

LOADING

Up to 150 kg.

SIZE

Including washers L. 700 x H. 89 mm.

COLOR

Standard white, other colors on demand of MPS range

CERTIFICATIONS

ISO 9001:2015 quality certification issued by TÜV Italia S.r.l.

Fire reaction class certification B-s2,d0.

Absence of bacterial growth certification issued by CSI group IMQ.

Declaration of quality office about absence of Cadmium and/or heavy metals.

Declaration of quality office about bio-compatibility and recycling






GF802P

TWO FIXING POINT HORIZONTAL GRAB BAR





DESCRIPTION

Horizontal grab bar Ø 35 mm. with alluminium internal part, th.2 mm.

Cover made of dioxide titanium polymers, th. 3,5 mm.

Gemma closing caps made of Nylon V0.

Cover washers and under washers made of Nylon VO.

Multi holes fixing washers made of zinc coated steel with electrical insulation.

Wall fixing through delivered screws and wall plugs. Absence of Cadmium, Lead and other heavy metals. Easy to clean and to maintain, even with detergents.

LOADING

Up to 150 kg.

SIZE

Including washers L. 800 x H. 89 mm.

COLOR

Standard white, other colors on demand of MPS range

CERTIFICATIONS

ISO 9001:2015 quality certification issued by TÜV Italia S.r.l.

Fire reaction class certification B-s2,d0.

Absence of bacterial growth certification issued by CSI group IMQ.

Declaration of quality office about absence of Cadmium and/or heavy metals.

Declaration of quality office about bio-compatibility and recycling

MPS reserves the right to modify products without previous advice.



Via Berlino, 17 24040 Verdellino (BG) Italy T.: +039 035 871895 F.: +039 035 870016 info@mps-pps.it


www.mps-pps.it



GF902P

TWO FIXING POINT HORIZONTAL GRAB BAR





DESCRIPTION

Horizontal grab bar Ø 35 mm. with alluminium internal part, th.2 mm.

Cover made of dioxide titanium polymers, th. 3,5 mm.

Gemma closing caps made of Nylon VO.

Cover washers and under washers made of Nylon VO.

Multi holes fixing washers made of zinc coated steel with electrical insulation.

Wall fixing through delivered screws and wall plugs. Absence of Cadmium, Lead and other heavy metals. Easy to clean and to maintain, even with detergents.

LOADING

Up to 150 kg.

SIZE

Including washers L. 900 x H. 89 mm.

COLOR

Standard white, other colors on demand of MPS range

CERTIFICATIONS

ISO 9001:2015 quality certification issued by TÜV Italia S.r.l.

Fire reaction class certification B-s2,d0.

Absence of bacterial growth certification issued by CSI group IMQ.

Declaration of quality office about absence of Cadmium and/or heavy metals.

Declaration of quality office about bio-compatibility and recycling

