


## MANG704P

### FOUR FIXING POINT CORNER GRAB BAR



#### DESCRIPTION

Fixing grab bar Ø 35 mm. with alluminium internal tube with thicness 2 mm.,  
Cover made of dioxide Titanium Polymers, thickness 3,5 mm.  
End caps, washers and under washers made of Nylon V0.  
Multi holes fixing washers made of zinc coated steel with electrical insulation.  
Wall fixing through delivered screws and wall plugs.  
Absence of Cadmium, Lead and other heavy metals.  
Easy to clean and to mantain, even with detergents.

#### LOAD

Up to 150 kg.

#### SIZE

Including washers H. 700 x L. 700 mm.

#### COLOR

Standard white, other colors on demand of MPS range


#### CERTIFICATIONS

ISO 9001:2015 quality certification issued byTÜV Italia S.r.l.  
Fire reaction class certification B-s2,d0.  
Absence of bacterial growth certification issued by CSI group IMQ.  
Declaration of quality office about absence of Cadmium and/or heavy metals.  
Declaration of quality office about bio-compatibility and recycling

MPS reserves the right to modify products without previous advice

# MANG804P

## FOUR FIXING POINT CORNER GRAB BAR



### DESCRIPTION

Fixing grab bar Ø 35 mm. with alluminium internal tube with thicness 2 mm.,  
Cover made of dioxide Titanium Polymers, thickness 3,5 mm.  
End caps, washers and under washers made of Nylon V0.  
Multi holes fixing washers made of zinc coated steel with electrical insulation.  
Wall fixing through delivered screws and wall plugs.  
Absence of Cadmium, Lead and other heavy metals.  
Easy to clean and to mantain, even with detergents.

### LOAD

Up to 150 kg.

### SIZE

Including washers H. 800 x L. 800 mm.

### COLOR

Standard white, other colors on demand of MPS range



### CERTIFICATIONS

ISO 9001:2015 quality certification issued byTÜV Italia S.r.l.  
Fire reaction class certification B-s2,d0.  
Absence of bacterial growth certification issued by CSI group IMQ.  
Declaration of quality office about absence of Cadmium and/or heavy metals.  
Declaration of quality office about bio-compatibility and recycling

MPS reserves the right to modify products without previous advice

## MANG1004P

### FOUR FIXING POINT CORNER GRAB BAR



#### DESCRIPTION

Fixing grab bar Ø 35 mm. with alluminium internal tube with thicness 2 mm.,  
Cover made of dioxide Titanium Polymers, thickness 3,5 mm.  
End caps, washers and under washers made of Nylon V0.  
Multi holes fixing washers made of zinc coated steel with electrical insulation.  
Wall fixing through delivered screws and wall plugs.  
Absence of Cadmium, Lead and other heavy metals.  
Easy to clean and to mantain, even with detergents.

#### LOAD

Up to 150 kg.

#### SIZE

Including washers H. 1000 x L. 1000 mm.

#### COLOR

Standard white, other colors on demand of MPS range

#### CERTIFICATIONS

ISO 9001:2015 quality certification issued byTÜV Italia S.r.l.  
Fire reaction class certification B-s2,d0.  
Absence of bacterial growth certification issued by CSI group IMQ.  
Declaration of quality office about absence of Cadmium and/or heavy metals.  
Declaration of quality office about bio-compatibility and recycling

MPS reserves the right to modify products without previous advice